

FIG. 1 (PRIOR ART)





FIG. 2 (PRIOR ART)

|                                     |                                  |  |                     |
|-------------------------------------|----------------------------------|--|---------------------|
| VERSION FIELD (4)                   | TRAFFIC CLASS FIELD (8)          | FLOW LABEL FIELD (20)                                  |                     |
| PAYLOAD LENGTH FIELD (16)           |                                  | NEXT HEADER FIELD (8)                                  | HOP LIMIT FIELD (8) |
| ORIGIN ADDRESS FIELD (128bits)      |                                  |  |                     |
| DESTINATION ADDRESS FIELD (128bits) |                                  |  |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | HOP-BY-HOP OPTION EXTENDED HEADER                      |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | DESTINATION OPTION EXTENDED HEADER (INTERMEDIATE NODE) |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | ROUTING EXTENDED HEADER                                |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | FRAGMENT EXTENDED HEADER                               |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | AUTHENTICATION EXTENDED HEADER                         |                     |
| NEXT HEADER FIELD (8)               | HEADER EXTENDED LENGTH FIELD (8) | DESTINATION OPTION EXTENDED HEADER (DESTINATION NODE)  |                     |


BEST AVAILABLE COPY

FIG. 3A (PRIOR ART)



# BEST AVAILABLE COPY

FIG. 3B (PRIOR ART)



# BEST AVAILABLE COPY

FIG. 3C (PRIOR ART)




FIG. 4




FIG. 5




FIG. 6

